



ASASPEN®

PVC-U Pencere Sistemleri

HEBESCHIEBE


TEKNİK KATALOG





ASASPEN®

PVC-U Pencere Sistemleri





HEBE SCHIEBE SÜRME SİSTEM

Genel Teknik Katalog


Bölüm:2

Teknik Çizimler

HEBE SCHIEBE KASA PROFİLİ

1701


2.503 kg / m



ALÜMİNYUM DESTEK PROFİLİ


6767

2.513 kg / m



HEBE SCHIEBE KANAT PROFİLİ

1702 2.294 kg / m




HEBE SCHIEBE DESTEK SACI PROFİLİ

| | KALINLIK | AĞIRLIK- kg/m |
|--------------------------------|----------|---------------|
| U - Destek sacı DS 01055 | 1.25mm | |
| | 1.55mm | 1.708 |
| | 2.05mm | 2.265 |
| Kutu Destek sacı DS 01056-K | 1.25mm | |
| | 1.55mm | 1.146 |
| | 2.05mm | 1.458 |


HEBE SCHIEBE ÖZEL DESTEK SACI PRF.

| | KALINLIK | AĞIRLIK- kg/m |
|--------------------------------|----------|---------------|
| Özel - Destek sacı DS 01059 | 1.25mm | |
| | 1.55mm | 2.179 |
| | 2.05mm | 2.875 |




İÇ DENİZLİK KAPAMA PROFİLİ

1703 1.280 kg / m




KANAT ALIN KAPAMA PROFİLİ

1704 0.295 kg / m




KANAT ALIN BAĞLANTI PROFİLİ

1705 0.704 kg / m




SABİT KANAT ÜST VE YAN BAĞL. PROFİLİ

1706 0.676 kg / m



SABİT KANAT ALT BAĞL. PROFİLİ


1707 0.698 kg / m



KANAT ÜST DAMLALIK VE KAPAMA PRF.

1708


0.398 kg / m



ORTA DESTEK VE İZOLASYON PROFİLİ

1709


0.382 kg / m



DENİZLİK VE RAY ARASI BAĞL. PROFİLİ

1710


0.240 kg / m



KASA KAPAMA PROFİLİ

1711

0.620 kg / m



İNERLOK PROFİLİ

1712

0.378 kg / m

